L Number	Hits	Search Text	DB	Time stamp
-	129	@ad<20000607 and (application adj service adj provider)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 17:26
-	0	@ad<20000607 and (application adj service adj provider) and client and (managed adj server)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/09 13:46
-	53	@ad<20000607 and (application adj service adj provider) and client	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/04 16:34
-	1	@ad<20000607 and (application adj service adj provider) and client and (customer adj premises adj equipment)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/04 16:35
-	1	@ad<20000607 and (application adj service adj provider) and client and ((customer adj premises adj equipment) or CPE)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/04 16:36
-	2	@ad<20000607 and (application adj service adj provider) and client and server and (manag$3 near transaction)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/04 16:37
-	2	@ad<20000607 and (application adj service adj provider) and (manag$3 adj server)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/04 17:00
-	72	@ad<20000607 and (application same (server or provider)) and manag$3 and register$3 and (authentication adj key)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/04 17:02
-	50	@ad<20000607 and (application same service same (server or provider)) and manag$3 and register$3 and (authentication adj key)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/04 17:02
-	42	@ad<20000607 and (application same service same (server or provider)) and manag$3 and register$3 and (authentication adj key) and (client or node)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/04 17:03
-	16	@ad<20000607 and (application same service same (server or provider)) and manag$3 and register$3 and (authentication adj key) and (client or node) and token	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/04 17:04
-	1	@ad<20000607 and (application near (server or provider)) and manag$3 and register$3 and (authentication adj key) and (client or node) and token	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/04 17:15
-	9	@ad<20000607 and (application near (server or provider)) and manag$3 and register$3 and (authentication adj key) and transaction	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/04 17:23
-	144	@ad<20000607 and (application near (server or provider)) and (manag$3 adj transaction)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/04 17:25
-	38	@ad<20000607 and (application near (server or provider)) and (manag$3 adj transaction) same client same server	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/04 18:00
-	0	@ad<20000607 and (application near (server or provider)) and (manag$3 adj transaction) and (authentication adj key)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/04 18:00

Best Available Copy

C:\APPS\east\workspaces\09589414_ManagedPacketBackboneServer.wsp

-	11	@ad<20000607 and (application near (server or provider)) and manag$3 and transaction and (authentication adj key)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/04 18:03
-	9	@ad<20000607 and (application near (server or provider)) and (server same (issu$3 or provid$3) same (authentication adj key))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/04 18:04
-	25	@ad<20000607 and (application adj service adj provider) and manag$3 and register$3 and access and security	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/05 12:28
-	10	@ad<20000607 and (application adj service adj provider) and (manag$ adj server) and register$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/05 12:33
-	363	@ad<20000607 and ((application or service) adj (server or provider)) and (manag$ adj server) and register$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/05 12:34
-	3	@ad<20000607 and ((application or service) adj (server or provider)) and (manag$ adj server) and register$3 and (authentication adj key)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/05 12:36
-	55	@ad<20000607 and ((application or service) adj (server or provider)) and (manag$ adj server) and register$3 and (profile adj information)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/05 13:26
-	55	@ad<20000607 and ((application or service) adj (server or provider)) and (manag$ adj server) and register$3 and (profile adj information) and (client or user or CPE)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/05 13:27
-	49	@ad<20000607 and ((application or service) adj (server or provider)) and (manag$ adj server) and register$3 and (profile adj information) and (client or user or CPE) and (bill$3 or transaction)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/05 13:27
-	33	@ad<20000607 and ((application or service) adj (server or provider)) and (manag$ adj server) and register$3 and (profile adj information) and (client or user or CPE) and bill$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/05 13:51
-	0	@ad<20000607 and ((application or service) adj (server or provider)) and (manag$ adj server) and register$3 and (profile adj information) and (authentication adj key)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/05 13:51
-	8	@ad<20000607 and (manag$ adj server) and register$3 and (authentication adj key)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/05 13:52
-	0	@ad<20000607 and (send$3 near session near (terminat$ and initiat$) near message)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/09 18:56
-	3	@ad<20000607 and (send$3 near session near (initiat$) near message)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/09 13:52
-	30	@ad<20000607 and (send$3 same session same (initiation) same message same server)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/09 13:53
-	14	@ad<20000607 and (send$3 same (session adj initiation) same message same server)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/09 14:49

Best Available Copy

–	7	@ad<20000607 and (send$3 same (session adj initiation) same message same server) and authenticat$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/09 15:57
–	3	@ad<20000607 and (send$3 same (session adj (start or initiation)) same message same server) and authenticat$3 and (session adj (end or termination))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/09 15:59
–	5	@ad<20000607 and (calculat$3 near (fee or billing) near based near (data or packet))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/09 18:58
–	191	@ad<20000607 and ((fee or billing or transaction) near based near (data or packet))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/09 18:59
–	5	@ad<20000607 and (calculat$3 near (fee or billing or transaction) near based near (data or packet))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/09 19:00
–	725	@ad<20000607 and (calculat$3 same (fee or billing or transaction) same based same (data or packet))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/09 19:00
–	3	@ad<20000607 and (calculat$3 adj (fee or billing or transaction) same based adj (data or packet))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/09 19:01
–	19	@ad<20000607 and (calculat$3 adj (fee or billing or transaction) adj based same (data or packet))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/09 19:01
–	51	@ad<20000607 and (calculat$3 adj (fee or billing or transaction) same based same (data or packet))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/09 19:02
–	8	@ad<20000607 and (calculat$3 same ((fee or billing or transaction) adj based adj (data or packet)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/09 19:03
–	9	@ad<20000607 and (((fee or billing or transaction) adj based adj (data or packet))) same (received or pertained or downloaded or transmitted)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/09 19:09
–	71	@ad<20000607 and (((fee or billing or transaction) adj based adj (data or packet)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/09 19:09
–	1	@ad<20000607 and (((fee or billing or transaction) adj based adj (data or packet)) adj usage)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/09 19:09
–	10	@ad<20000607 and (((fee or billing or transaction) adj based adj (data or packet))) same (received or pertained or downloaded or transmitted or usage)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/09 19:09
–	17	@ad<20000607 and (managed with (packet or backbone) with (network or server)) and (reserv$3 with resource)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 17:25
–	0	@ad<20000607 and (local or private or managed) adj (packet near network) and server same reserv$3 same (resource or bandwidth)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 17:26
–	4	@ad<20000607 and (local or private or managed) adj network and server same (reserv$3 with (resource or bandwidth)) and (manag$3 with transaction)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 17:30

Best Available Copy

C:\APPS\east\workspaces\09589414_ManagedPacketBackboneServer.wsp

-		3	@ad<20000607 and (local or private or managed) adj network with server with (reserv$3 with (resource or bandwidth))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 17:57
-		3	@ad<20000607 and (local or private or managed or home) adj network with server with (reserv$3 with (resource or bandwidth))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 17:36
-		2	@ad<20000607 and (home) adj network and server with (reserv$3 with (resource or bandwidth))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 17:39
-		2	@ad<20000607 and (home or residen$2) adj network and server with (reserv$3 with (resource or bandwidth))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 17:41
-		1	@ad<20000607 and (home or residen$2 or private) adj network and server with (reserv$3 with (resource or bandwidth)) same ((home adj device) or Phone or TV or computer)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 17:48
-		0	@ad<20000607 and (home or residen$2 or private) adj network and server with (reserv$3 with (resource or bandwidth)) and (manag$3 with transaction)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 17:50
-		40	@ad<20000607 and (home or residen$2 or private) adj network and server same (reserv$3 with (resource or bandwidth))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 17:55
-		0	@ad<20000607 and (home or residen$2 or private) adj network and server same (reserv$3 with (resource or bandwidth)) same (manag$3 adj transaction)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 17:55
-		1	@ad<20000607 and (home or residen$2 or private) adj network same server same (reserv$3 with (resource or bandwidth))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 17:56
-		0	@ad<20000607 and (home or residen$2 or private) adj network and (backbone adj server) same (reserv$3 with (resource or bandwidth))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 17:57
-		0	@ad<20000607 and (home or residen$2 or private) adj network and (backbone adj server) and (reserv$3 with (resource or bandwidth)) and router	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 17:58
-		26	@ad<20000607 and (local or private or managed) adj network and server with (reserv$3 with (resource or bandwidth)) and router	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 17:58
-		8	@ad<20000607 and (home or residen$3 or backbone) adj network same (server or router) with (reserv$3 or manag$3) with (resource or bandwidth)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 18:03
-		9	@ad<20000607 and (home or residen$3) adj network and (server or router) with (reserv$3 or manag$3) adj (resource or bandwidth)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 18:15
-		2	@ad<20000607 and (home or residen$3) adj network and (server or router) with (reserv$3 and manag$3) with (resource or bandwidth)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 18:15
-		10	@ad<20000607 and (home or residen$3 or managed) adj network same (server) with (reserv$3 or manag$3) with (resource or bandwidth)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 18:20
-		1	@ad<20000607 and (home or residen$3 or managed) adj network same (server) with (reserv$3) with (resource or bandwidth)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 18:21

C:\APPS\east\workspaces\09589414_ManagedPacketBackboneServer.wsp

-	6	@ad<20000607 and (home or residen$3 or managed) adj network and (server) with (reserv$3) with (resource or bandwidth)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 18:25
-	0	@ad<20000607 and (home or residen$3 or backbone) adj network and (server) with (reserv$3) with (resource or bandwidth) and (customer or home) near (device or equipment)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 18:26
-	0	@ad<20000607 and (home or residen$3 or backbone or managed) adj network and (server) with (reserv$3) with (resource or bandwidth) and (customer or home) near (device or equipment)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 18:26
-	2	@ad<20000607 and (home or residen$3 or backbone or managed) adj network and (server) with (reserv$3 or manag$3) with (resource or bandwidth) and (customer or home) near (device or equipment)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 18:28
-	3	@ad<20000607 and (home or residen$3 or backbone or managed) adj network and (server) with (reserv$3 or manag$3 or allocat$3) with (resource or bandwidth) and (customer or home) near (device or equipment)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 18:29
-	37	@ad<20000607 and (home or residen$3 or backbone or managed) adj network and (server) with (reserv$3 or manag$3 or allocat$3) with (resource or bandwidth) and (customer or home) same (device or equipment)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 18:32
-	21	@ad<20000607 and (home or residen$3 or backbone or managed) adj network and (server) with (reserv$3 or manag$3) with (resource or bandwidth) and (customer or home) with (device or equipment)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 18:30
-	26	@ad<20000607 and (home or residen$3 or backbone or managed) adj network and (server) with (reserv$3 or manag$3 or allocat$3) with (resource or bandwidth) and (customer or home) with (device or equipment)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/12 18:33
-	6	@ad<20000607 and (server) with (regist$6 or profile) with (bandwidth and (type or protocol))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 17:36
-	0	@ad<20000607 and (server) with receiv$3 same (regist$6 or profile) with (bandwidth and (type or protocol))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 17:36
-	0	@ad<20000607 and (server) same receiv$3 same (regist$6 or profile) with (bandwidth and (type or protocol))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 17:36
-	0	@ad<20000607 and (server) same (send$3 or receiv$3) same (regist$6 or profile) with (bandwidth and (type or protocol))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 17:37
-	0	@ad<20000607 and (backbone adj server) same (send$3 or receiv$3) same (regist$6 or profile) same (bandwidth and (type or protocol))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 17:38
-	19	@ad<20000607 and (server) same (send$3 or receiv$3) same (regist$6 or profile) same (bandwidth and (type or protocol))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 17:47
-	0	@ad<20000607 and (server) same (send$3 or receiv$3) same (regist$6 or profile) with (bandwidth and (type or protocol))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 17:47

C:\APPS\east\workspaces\09589414_ManagedPacketBackboneServer.wsp

–	0	@ad<20000607 and (backbone adj server) same (regist$6 or profile) with (bandwidth and (type or protocol))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 17:47
–	13	@ad<20000607 and (server) same (regist$6 or profile) with (bandwidth and (type or protocol))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/19 17:48